



FLEXIBLE SIGMOIDOSCOPY PREP INSTRUCTIONS

Patient Name:	Procedure Date:
Doctor:	Location:
Arrival Time:	Procedure Time:
Hold the following medications:	

IF YOU ARE UNABLE TO KEEP YOUR APPOINTMENT, WE ASK THAT YOU GIVE US 72 HOURS NOTICE. If you do not call and fail to show up for your scheduled procedure you will be charged a "No Show Fee" of \$100.00.

IMPORTANT: IF YOU ARE A SMOKER, WE STRONGLY ADVISE THAT YOU DO NOT SMOKE THE DAY OF YOUR PROCEDURE. SMOKING PRIOR TO YOUR PROCEDURE COULD CAUSE COMPLICATIONS WITH ANESTHESIA

PICK UP FROM THE PHARMACY:

- 1. One (1) bottle of Magnesium Citrate
- 2. Fleet's Enema

TWO DAYS BEFORE YOUR PROCEDURE:

You must stop eating the following foods: Salads, Nuts, Seeds, and Corn.

THE DAY BEFORE YOUR PROCEDURE:

- 1. Between 3:00pm and 4:00pm, drink the entire bottle of Magnesium Citrate.
- 2. You may only have clear liquids for dinner as outlined below.

You May Have:	You May <u>NOT</u> Have:
Water, Seltzer, Apple Juice, Sprite, Ginger Ale,	Gum, Solid Foods, Alcohol, Lemonade,
Plain Jello (not red or purple), Bouillon or	Milk or Milk Products
Clear Broth, Gatorade (not red or purple),	
White Grape Juice, Italian Ice (not red or	
purple), Black Coffee or Tea (no milk or	
creamer)	





3. Administer the Fleet's Enema before going to bed. Save the bottle.

THE DAY OF THE PROCEDURE:

- 1. On the morning of your exam, you may have a **SMALL** clear liquid breakfast.
- 2. Administer 2 tap water enemas BEFORE coming to the office for your procedure. Screw the top off of the Fleet's Enema bottle, fill it with tap water, and administer it. Repeat this a second time.

We strongly encourage all patients to leave all valuables (jewelry, cash, wallet, etc.) either at home or with the person accompanying you for your procedure.